



# भारत का राजपत्र The Gazette of India

असाधारण  
EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (II)  
PART II—Section 3—Sub-Section (ii)

प्राधिकार से प्रकाशित  
PUBLISHED BY AUTHORITY

सं. 512] नई दिल्ली, सोमवार, अगस्त 16, 1991/भाद्र 25, 1913  
No. 512] NEW DELHI, MONDAY, SEPTEMBER 16, 1991/BHADRA 25, 1913

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह मूल संकलन के रूप में  
रखा जा सके

Separate Paging is given to this Part in order that it may be filed as a  
separate compilation

वित्त मंत्रालय

(प्राधिकार्य विभाग)

प्रधिसूचनाएं

नई दिल्ली, 9 सितम्बर, 1991

का. प्रा. 597 (प्र) :—केन्द्रीय सरकार 'सिक्का-निर्माण अधिनियम, 1906 (1906 का 3) की धारा 7 के साथ पठित धारा 21 की  
उपधारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, निम्नलिखित नियम बनाती है, अर्थात् :—

1. संक्षिप्त नाम और प्रारम्भ :—(1) इन नियमों का संक्षिप्त नाम सिक्का निर्माण (राष्ट्र मंडल संसदीय सम्मेलन की स्मृति में डाले गए  
दस रुपये, पांच रुपये और एक रुपये के स्मारक सिक्कों का, जिनमें 75 प्रतिशत तांबा और 25 प्रतिशत निकल होगा, मानक वजन और  
उपचार) नियम, 1991 है।

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. राष्ट्र मंडल संसदीय सम्मेलन की स्मृति में डाले गए कनिष्ठ अंकित मूल्यों के सिक्कों का मानक वजन और अनुज्ञात उपचार-सिक्का-निर्माण,  
अधिनियम, 1906 (1906 का 3) की धारा 6 के उपबन्धों के अधीन डाले गए निम्नलिखित अंकित मूल्यों के सिक्कों का मानक वजन और  
ऐसे सिक्कों के बनाने में अनुज्ञात उपचार वैसा होगा जैसा नीचे सारणी में विनिर्दिष्ट है :—

## सारणी

अंकित मूल्य	मानक वजन	घनमान उपचार	
		संरचना में	मानक वजन में
दस रुपये	25 ग्राम	तांबा और निकल दोनों के लिए 1/100 वां भाग घन या ऋण घर्पात तांबा 74% से 76% और निकल 24% से 26% के बीच हो सकता है।	1/40 वां भाग घन या ऋण घर्पात वजन 24.375 से 25.625 ग्राम के बीच हो सकता है।
पांच रुपये	12.5 ग्राम	तांबा और निकल दोनों के लिए 1/100 वां भाग घन या ऋण घर्पात तांबा 74% से 76% और निकल 24% से 26% के बीच हो सकता है।	1/40 वां भाग घन या ऋण घर्पात वजन 12.187 से 12.812 ग्राम के बीच हो सकता है।
एक रुपया	6 ग्राम	तांबा और निकल दोनों के लिए 1/100 वां भाग घन या ऋण घर्पात तांबा 74% से 76% और निकल 24% से 26% के बीच हो सकता है।	1/40 वां भाग घन या ऋण घर्पात वजन 5.850 से 6.150 ग्राम के बीच हो सकता है।

[सं. फा. 1/25/90—सिक्का -II (1)]

## MINISTRY OF FINANCE

(Department of Economic Affairs)

## NOTIFICATIONS

New Delhi, the 9th Sept., 1991.

S.O. 597(E).— In exercise of the powers conferred by sub-section (1) of section 21, read with section 7, of the Coinage Act 1906 (3 of 1906), the Central Government hereby makes the following rules, namely:—

(1) Short-title and commencement—1. These rules may be called the Coinage (Standard Weight and Remedy of Commemorative Coins of Ten Rupees, Five Rupees and One Rupee containing Copper 75% and Nickel 25% coined in commemoration of Commonwealth Parliamentary Conference, 1991) Rules, 1991.

2. They shall come into force on the date of their publication in the Official Gazette.

(2) Standard weight and remedy allowed on coins of certain denominations coined in commemoration of Commonwealth Parliamentary Conference, 1991—The standard weight of the coins of the following denominations coined under the provisions of section 6 of the Coinage Act, 1906 (3 of 1906), in commemoration of the Commonwealth Parliamentary Conference, 1991 and the remedy allowed in making of such coins shall be as specified in the Table below:—

TABLE

Denomination	Standard weight	Remedy allowed	
		In composition	In standard weight
Ten Rupees	25 grammes	1/100 th plus or minus both for copper and nickel that is to say, copper could vary from 64% to 76% and nickel from 24% to 26%	1/40th plus or minus, that is to say, the weight could vary from 24.375 grammes to 25.625 grammes.

1	2	3	4
Five Rupees	12.5 grammes	1/100th plus or minus both for copper and nickel, that is to say, copper could vary from 74% to 76% and nickel from 24% to 26%	1/40th plus or minus, that is to say, the weight could vary from 12.187 grammes to 12.812 grammes.
One Rupee	6 grammes	1/100th plus or minus both for copper and nickel, that is to say, copper could vary from 74% to 76% and nickel from 24% to 26%.	1/40th plus or minus, that is to say, the weight could vary from 5.850 grammes to 6.150 grammes.

[No. F.1/25/90—Com II(1)]

श्री. भा. 598 (अ) :—केन्द्रीय सरकार, सिक्का-निर्माण अधिनियम, 1906 ( 1906 का 3 ) की धारा 6 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए यह व्यवधारित करती है कि :—

(क) राष्ट्र मंडल संसदीय सम्मेलन, 1991 के अवसर पर केन्द्रीय सरकार के प्राधिकार के अधीन जारी किए जाने के लिए निम्नलिखित अंकित मूल्य के सिक्के भी एकसाल में जारी जाएंगे, यर्थात् :—

- (1) दस रुपए,
- (2) पांच रुपए,
- (3) एक रुपया,

(ख) उपरोक्त अंकित मूल्य के सिक्के निम्नलिखित विभाग, डिजाइन और संरचना के अंशरूप होंगे, यर्थात् :—

सिक्के का अंकित मूल्य	विभा और बाहरी व्यास	दांतों की संख्या	धातु संरचना
दस रुपए	वृत्ताकार 39 मिलीमीटर	180	ताम्र-निकल तांबा—75% निकल—25%
पांच रुपए	वृत्ताकार 31 मिलीमीटर	150	ताम्र-निकल तांबा—75% निकल—25%
एक रुपया	वृत्ताकार 26 मिलीमीटर	204	ताम्र-निकल तांबा—75% निकल—25%

डिजाइन :

दस रुपए :

मुख्य भाग :—इसके इस भाग पर अण्डाकार स्तंभ का सिंह शीर्ष होगा जिसके नीचे “मृत्यमैव जयते” संकैतिका अंकित होगी और ऊपरी बाईं परिधि में “भारत” शब्द और ऊपरी दाईं परिधि में “India” शब्द पार्श्व में अंकित होगा। इसके पार्श्व में बाईं निचली परिधि में “रुपए” शब्द और दाईं निचली परिधि में “Rupees” शब्द के साथ अंतर्राष्ट्रीय अंकों में “10” अंकित मूल्य अंकित होगा। इसकी परिधि पर 80 बीड होंगे और 2 बीडों के बीच में एक रेखा होगी।

पृष्ठ भाग :—इसके इस भाग पर संसद भवन का मोनोग्राम होगा, जिसकी बाईं परिधि में हिन्दी में “राष्ट्र मंडल संसदीय सम्मेलन” और दाईं परिधि में अंग्रेजी में “Commonwealth Parliamentary Conference” शब्द होंगे। अंक “1991” मोनोग्राम के ऊपर दर्शाये जाएंगे। इसकी परिधि पर 80 बीड होंगे और 2 बीडों के बीच में एक रेखा होगी।

पांच रुपये :

मुख्य भाग :—इसके इस भाग पर अशोक स्तंभ का सिंह शीर्ष होगा जिसके नीचे "सत्यमेव जयते" संकेतिका अंकित होगी और ऊपरी बाईं परिधि में "भारत" शब्द और ऊपरी दाईं परिधि में "India" शब्द पार्श्व में अंकित होगा। इसके पार्श्व में बाईं निचली परिधि में "रुपये" शब्द और दाईं निचली परिधि में "Rupees" शब्द के साथ अंतरराष्ट्रीय अंकों में "5" अंकित मूल्य होगा। इसकी परिधि पर 60 बीड़ होंगे और 2 बीड़ों के बीच में एक रेखा होगी।

पृष्ठ भाग :—इसके इस भाग पर संसद भवन का मोनोग्राम होगा, जिसकी बाईं परिधि में हिन्दी में "राष्ट्र मंडल संसदीय सम्मेलन" और दाईं परिधि में अंग्रेजी में "Commonwealth Parliamentary Conference" शब्द अंकित होंगे। अंक "1991" मोनोग्राम के ऊपर दर्शाये जाएंगे। इसकी परिधि पर 60 बीड़ होंगे और 2 बीड़ों के बीच में एक रेखा होगी।

एक रुपया :

मुख्य भाग :—इसके इस भाग पर अशोक स्तंभ का सिंह शीर्ष होगा जिसके नीचे "सत्यमेव जयते" संकेतिका अंकित होंगी और ऊपरी बाईं परिधि में "भारत" शब्द और ऊपरी दाईं परिधि में "India" शब्द पार्श्व में अंकित होगा। इसके पार्श्व में बाईं निचली परिधि में "रुपया" शब्द और दाईं निचली परिधि में "Rupees" शब्द के साथ अंतरराष्ट्रीय अंकों में "1" अंकित मूल्य अंकित होगा। इसकी परिधि पर 60 बीड़ होंगे और 2 बीड़ों के बीच में एक रेखा होगी।

पृष्ठ भाग :—इसके इस भाग पर संसद भवन का मोनोग्राम होगा, जिसकी बाईं परिधि में हिन्दी में "राष्ट्र मंडल संसदीय सम्मेलन" और दाईं परिधि में अंग्रेजी में "Commonwealth Parliamentary Conference" शब्द होंगे। अंक "1991" मोनोग्राम के ऊपर दर्शाये जाएंगे। इसकी परिधि पर 60 बीड़ होंगे और 2 बीड़ों के बीच में एक रेखा होगी।

[सं. फा. 1/25/40—सि/का-II (2)]

जी. एस. प्रेसाल, प्रवर सचिव

S.O. 598(E).— In exercise of the powers conferred by section 6 of the Coinage Act, 1906, (3 of 1906), the Central Government hereby determines that—

(a) the coins of the following denominations shall also be coined at the Mints for issue under the authority of the Central Government on the occasion of the Commonwealth Parliamentary Conference, 1991, namely:—

- (1) Ten Rupees,
- (2) Five Rupees,
- (3) One Rupee;

(b) the coins of the above denominations shall conform to the following dimensions, designs and composition, namely:—

Denomination of the coin	Shape and outside diameter	Number of serrations	Metal composition
Ten Rupees	Circular 39 Millimetres	180	Cupro-Nickel Copper—75% Nickel—25%
Five Rupees	Circular 31 Millimetres	150	Cupro—Nickel Copper—75% Nickel—25%
One Rupee	Circular 26 Millimetres	204	Cupro-Nickel Copper—75% Nickel—25%

**DESIGNS :****TEN RUPEES :**

**OBVERSE :** This face of the coin shall bear the Lion Capital of Ashoka Pillar with the legend "सत्यमेव जयते" inscribed below flanked on the left upper periphery with the word "भारत" and on the right upper periphery with the word "INDIA". It shall also bear the denominational value "10" in international numerals flanked on the left lower periphery with the word "रुपये" and on the right lower periphery with the word "RUPEES". There shall be 60 beads and one line between two beads on the periphery of the coin.

**REVERSE :** This face of the coin shall bear the monogram of Parliament House flanked with the words "राष्ट्रसंघ संसदीय सम्मेलन" in Hindi, on the left periphery and "COMMONWEALTH PARLIAMENTARY CONFERENCE", in English, on the right periphery. The figures "1991" shall be shown above the monogram. There shall be 60 beads and one line between two beads on the periphery of the coin.

**FIVE RUPEES :**

**OBVERSE :** This face of the coin shall bear the Lion Capital of Ashoka Pillar with the legend "सत्यमेव जयते" inscribed below flanked on the left upper periphery with the word "भारत" and on the right upper periphery with the word "INDIA". It shall also bear the denominational value "5" in international numeral flanked on the left lower periphery with the word "रुपये" and on the right lower periphery with the word "RUPEES". There shall be 60 beads and one line between two beads on the periphery of the coin.

**REVERSE :** This face of the coin shall bear the monogram of the Parliament House flanked with the words "राष्ट्रसंघ संसदीय सम्मेलन" in Hindi on the left periphery and "COMMONWEALTH PARLIAMENTARY CONFERENCE", in English, on the right periphery. The figures "1991" shall be shown above the monogram. There shall be 60 beads and one line between two beads on the periphery of the coin.

**ONE RUPEE :**

**OBVERSE :** This face of the coin shall bear the Lion Capital of Ashoka Pillar with the legend "सत्यमेव जयते" inscribed below flanked on the left upper periphery with the word "भारत" and on the right upper periphery with the word "INDIA". It shall also bear the denominational value "1" in international numeral, flanked on the left lower periphery with the word "रुपया" and on the right lower periphery with the word "RUPEE". There shall be 60 beads and one line between two beads on the periphery of the coin.

**REVERSE :** This face of the coin shall bear the monogram of the Parliament House flanked with the word "राष्ट्रसंघ संसदीय सम्मेलन", in Hindi, on the left periphery and "COMMONWEALTH PARLIAMENTARY CONFERENCE", in English, on the right periphery. The figures "1991" shall be shown above the monogram. There shall be 60 beads and one line between two beads on the periphery of the coin.

[No. F.1/25/90-Coin-II(2)]  
G.S. GREWAL, Under Secy.

